

# Модульные системы с различными компонентами TopTable

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижегород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новый Уренгой (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04


Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [keb@nt-rt.ru](mailto:keb@nt-rt.ru) || сайт: <https://kaiser.nt-rt.ru/>

# The Studio on Your Desk



„TopTable“ is a classic among the compact shooting tables. „TopTable“ is not only a modular system with various components, but also a compact unit with „desk-top size“ dimensions of 20 x 19“.

Whether used as a complete digital desktop studio or composed of different components to specific requirements: „TopTable“ copes with all problems of small object photography.

Product shots, catalog photos, internet pictures, creative stills, scientific photography, shots of medical preparations and instruments: possible fields of applications are only limited by the size of the subject.

Standard shooting situations with reflected light, silhouetting by background lighting, floating images, shots using a glass plate or a light tent – „TopTable“ will always provide a solution.

For more possibilities on desktop photography look at the products from page 17 on.

## 5993-96 Table-Top-Studio „digital”

Complete desktop studio consisting of Small Product Table 5931 and a lighting unit. Product table with white transparent concave shaped acrylic background. Required desk space approx. 50 x 50 cm (20 x 20 in.). Lighting unit consists of two small soft lights for even and smooth illumination. Holding rods with multiple orientation possibilities, screw-on clamps for attachment.

5994 and 5996 include an extra camera clamp comprising a 55 cm (21.7 in.) swan-neck arm for cameras up to 600 g (21 oz.), ball head with 30 mm (1.2 in.) base and 1/4” camera thread plus a universal desk clamp for boards up to 30 mm (1.2 in.) thick or tubes up to 55 mm (2.2 in.) diameter.

### 5993 Table-Top-Studio „digital SN-HF”

With RB 218N HF high-frequency daylight lighting unit (5464). Interior reflectors for high light output. Mains leads with cord switch.

Lamps: 2 compact fluorescent lamps, 18 W each, 5400 Kelvin, CRI = 90-100.

### 5994 Table-Top-Studio „digital SN-HF plus”

Same as 5993, but with camera clamp.

### 5995 Table-Top-Studio „digital LED”

With RB 5020 DS LED daylight lighting unit (5465).

With 192 white high-CRI LEDs per light. Lights can be continuously dimmed separately or in combination. Dimmer includes switch-off position. Colour temperature 5600 Kelvin, CRI > 85, angle of radiation: 60°.

### 5996 Table-Top-Studio „digital LED plus”

Same as 5995, but with camera clamp.





### 5930 TopTable-Set

Three-piece set made up with components of the "TopTable" small product table system. Consisting of basic table with transparent acrylic plate (5931), add-on table with clear acrylic plate (5932) and holding frame for accessories (5934).

### 5935 Base Stand

For Small Product Table (5931). Permits the use of different types of lighting set-ups or larger light troughs underneath the small product table.

Dimensions (WxHxD): approx. 510 x 310 x 480 mm (20.1 x 12.2 x 18.9 in.)

### 5931 Small Product Table

Compact product table for table-top photography and reproduction. Table top/background of transparent acrylic.

Dimensions (WxHxD): approx. 510 x 615 x 480 mm (20.1 x 24.2 x 18.9 in.)



### 5932 Add-On Table

Product table with clear acrylic plate to be set on the Product Table 5931 or to be used separately.

Dimensions (WxHxD): approx. 510 x 415 x 405 mm (20.1 x 16.3 x 15.9 in.)

### 5933 Glass Add-On Table

Flat product table for 5931 with glass top. Dimensions (WxHxD): approx. 510 x 160 x 405 mm (20.1 x 6.3 x 15.9 in.)

### 5934 Holding Frame

For holding foils, clamp-on lamp holders or similar accessories with the included holding clamps. Attaches to Product Table 5931 and 5932. Dimensions (WxD): approx. 510 x 480 mm (20.1 x 18.9 in.)

**5465**

**RB 5020 DS TopTable Lighting Unit**

LED daylight lighting unit comprising two small soft lights for even and smooth illumination, each equipped with 192 white high-CRI LEDs. Lights can be continuously dimmed separately or in combination. Dimmer includes switch-off position.

Lights are tiltable and adjustable in height. Angle of vertical arms adjustable by lock joint. Mounted with strong die-cast clamp bases. Clamping width up to 48 mm (1.9 in.).

Colour temperature: 5600 Kelvin

CRI > 85

Angle of radiation: 60°



**5464**

**RB 218N HF TopTable Lighting Unit**

Cold light lighting unit comprising two small soft lights, each equipped with a daylight fluorescent lamp. High frequency operating system. Main leads with cord switches.

Lights are tiltable and adjustable in height. Angle of vertical arms adjustable by lock joint. Mounted with strong die-cast clamp bases. Clamping width up to 48 mm (1.9 in.).

Lamps: 2 x 18 watt

Colour temperature: 5400 Kelvin

CRI = 90-100





**2405/25**  
**„prolite basic 2“ Soft Light Source**

Light Box as a daylight type backlight source for „TopTable“ product table system.

Illuminated area: 50 x 30 cm (19.7 x 11.8 in.)

Lamps: 2 x 13 Watt, 5400 K

Dimensions (WxHxD): 562 x 60 x 364 mm  
(22.1 x 2.4 x 14.3 in.)


„prolite basic 2 HF“ Soft Light Source (2425)  
with additional high-frequency operating  
system.

2136,  
2476



**5054**  
**Camera Clamp**

55 cm (21.7 in.) long gooseneck arm for  
cameras up to 600 g (21 oz.), ball head with  
30 mm (1.2 in.) base and 1/4" camera  
thread. Universal table clamp with clamp  
range up to 30 mm (1.2 in.) on boards or  
55 mm (2.2 in.) on tubes.



**3439**  
**Diffusing Foil**

For producing soft, shadow-free illumination.  
Attaches to Holding Frame 5934 of „TopTable“  
product table. Can be cut to required size.

Dimensions: approx. 60 x 760 cm  
(23.6 x 300 in.)

## 5863-64 Desktop Shooting Kit

Comprehensive kit for object photography. Comprises a „Cube Studio“ light tent for even and soft light distribution and two lights on desktop stands.

Cube studio with detachable front cover with slot for camera lens and two reversible textile backdrops white/grey and black/blue. Easy to set up, folds up automatically. Can be folded down to compact size. Includes carrying pouch. Reflector lights with ceramic socket for photo-floods up to 250 watts (2 energy saving lamps, 25 W each, code no 3110, are included), swivel joint, umbrella mount and on/off switch. Detachable reflector, includes diffusing cover for soft light. Light stands with two-section telescopic center column, 16 mm standard spigot and 1/4" connection thread, setting height 35-70 cm (13.8-27.6 in.), max. load 3 kg (6.6 lbs.). Not available in 120 V.

**5863:** with Cube Studio 50 x 50 x 50 cm (20 x 20 x 20 in.) (5893)

**5864:** with Cube Studio 90 x 90 x 90 cm (35 x 35 x 35 in.) (5894)




## 5893-94 Cube Studio Light Tent

Cube-shaped light tent for even and soft illumination when shooting small objects. Detachable front cover with slot for camera lens. Easy to set up, folds up automatically. Can be folded down to compact size.

Includes two reversible textile backdrops white/grey and black/blue and zippered carrying pouch with wrist strap.

**5893:** 50 x 50 x 50 cm (20 x 20 x 20 in.)

**5894:** 90 x 90 x 90 cm (35 x 35 x 35 in.)





**5891-92**  
**„Dome Studio“ Light Tent**

For small object photography. Suitable for product shots and internet images. White translucent surfaces provide for even and soft illumination. Umbrella-type construction makes set-up and fold-down easy. Comes with reversible textile background (white and grey) and protective cover with carrying straps.

**5891:** Floor size: 62 x 62 cm (24.5 x 24.5 in.), height: 51 cm (20 in.)

**5892:** Floor size: 75 x 75 cm (29.5 x 29.5 in.), height: 65 cm (25.5 in.)



**5875-76**  
**„ConCave“ Background**

Flat and flexible plastic plate with holes on both sides and tightening cord. The plate can be bent in the desired shape and then be fixed by means of two „beads“ and choice of respective holes.


Dimensions of flat plate: approx. 60 x 30 cm (23.6 x 11.8 in.)

**5875:** Opaque plate for shooting with reflected light.

**5876:** Transparent plate, for shooting with reflected and backlight.



**5883**  
**„Open Tube 1“ Shooting Table**



This shooting table is pre-tailored from one single press board and is assembled by the user. The background made of flexible plastic material is inserted into the assembled table and fixed by velcro fittings. The evenly curved background („open tube“ outline) improves the distribution of light on the subject.

Side frames of the table provide attachment points for one or more lighting modules in vertical or horizontal position.

Dimensions (WxHxD, incl. background): 77 x 60 x 84.5 cm (30.3 x 23.6 x 33.3 in.)



**5884**  
**Lighting Module**

For 5883. One or more modules can be attached in horizontal or vertical position.

Aluminum housing with interior reflector, equipped with 36 watt daylight fluorescent lamp and high-frequency ballast. Mains lead with cord switch.

Reflector size: approx. 45 x 6.4 cm (17.7 x 2.5 in.)



**5861-62  
Desktop Lighting Kit**

For still life and small product photography, e.g. in connection with shooting tables and light tents.

**5861 Desktop Lighting Kit 1**

Comprises reflector light for photofloods up to 250 W, with E27\* ceramic socket, detachable reflector (ø 27 cm/10.6 in.), swivel joint, umbrella mount and on/off switch. Cord length approx. 3.8 m (12.5 ft.). Removable diffusing cover for soft light and desktop light stand 5859. Supplied with energy saving lamp 3110 (with 230 V version).

**5862 Desktop Lighting Kit 2**

Comprises 2 Desktop Lighting Kits 1 (5861).

3110 3130  
3124 4356  
3128



**5860  
Lamp Holder**

Suitable for photofloods up to 250 W max. With E27\* ceramic socket, swivel joint, umbrella mount and on/off switch. Mounts on suitable tripods/stands with 16 mm standard spigot. Supplied without lamp.

Mains cord: approx. 3.8 m (12.5 ft.)

3128



**3110  
Energy Saving Lamp**

Daylight lamp with E27 socket. 25 watt, 6400 Kelvin, 1400 lumen, 230 volt. Start-up time < 2 sec. Service life up to 8000 hours.

Length: 158 mm (6.2 in.), diameter: 59 mm (2.3 in.)

See page 47 for more lamps.



**5858-59  
Desktop Light Stand**

Two-section telescopic center column. 16 mm standard spigot and 1/4" connection thread. Max. load: 3 kg (6.6 lbs.)

**5858:** Setting height: approx. 22-38 cm (8.7-15 in.)  
Length closed: approx. 24.5 cm (9.6 in.)  
Weight: approx. 340 g (12 oz.)

**5859:** Setting height: approx. 35-70 cm (13.8-27.6 in.)  
Length closed: approx. 39 cm (15.4 in.)  
Weight: approx. 530 g (18.7 oz.)



## По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижегород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [keb@nt-rt.ru](mailto:keb@nt-rt.ru) || сайт: <https://kaiser.nt-rt.ru/>